

GOOD SAFETY PRACTICES

EQUIPMENT STORAGE



DRUM BRACING

- Reduces spill potential
- Transit requirement D.O.T.
- Drums tightly sealed
- Drums labeled with necessary information
- Read and understand MSDS for product before handling



HOSES/CORDS NEATLY ORGANIZED

- Reduces tripping/falling hazard
- Reduces excessive wear on equipment



FIRE EXTINGUISHER ON TRUCK

- Fully charged and Inspected
- Accessible and Trained Operators
- Water, dry extinguishing media, carbon dioxide, foam are acceptable for use.



FIRST AID KIT

- Portable kit desirable for minor injuries
- Include emergency phone numbers near cabinet
- Periodically check kit for completeness
- Clean water available for eye wash; Construction areas may need several gallons clean water carried in for this use

The information contained herein is provided gratis and for informational purposes only. The American Chemical Council (ACC) and Center for the Polyurethanes Industry (CPI) do not warrant, and assume no responsibility for the accuracy or completeness of any information contained in this guidance, all such information being given and accepted at your risk.

Published August, 2009. This document may be updated. For the most current version of this document, see www.americanchemistry.com/polyurethane, www.spraypolyurethane.com, or www.sprayfoam.org.

This work is protected by copyright. Users are granted a nonexclusive royalty-free license to reproduce and distribute this document, subject to the following limitations: (1) the work must be reproduced in its entirety, without alterations; and (2) copies of the work may not be sold.